

What is claimed is:

1. A bracket for a wall opening fall protection support system for use with a rail, the bracket comprising:
 - a substantially planar mounting portion;
 - a substantially planar support portion extending orthogonally from the mounting portion; and
 - a substantially planar retaining portion extending from the mounting portion, the retaining portion being substantially coplanar with the support portion.
2. The system of claim 1, wherein the mounting portion of the bracket lies on only one side of the plane defined by the support portion.
3. The system of claim 2, wherein the support portion, the retaining portion, and the mounting portion define an opening for receiving the rail.
4. The system of claim 3, wherein the support portion, the retaining portion, and the mounting portion define an opening that is 2 inches by 4 inches.
5. The system of claim 3, wherein the support portion, the retaining portion, and the mounting portion define an opening that is 4 inches by 4 inches.
6. The system of claim 1, further comprising a second mounting portion that is disposed at 90 degrees with respect to the mounting portion.

7. The system of claim 6, wherein the second mounting portion is coplanar with the support portion.

8. The system of claim 1, wherein the bracket further includes engagement means for inhibiting motion of the rail with respect to the bracket.

9. A wall opening fall protection support system comprising:

- a first substantially planar mounting portion;
- a substantially planar support portion extending orthogonally from the mounting portion;
- a second substantially planar mounting portion disposed at 90 degrees with respect to the first substantially planar mounting portion and coplanar with the substantially planar support portion;
- a substantially planar retaining portion extending from the mounting portion, the retaining portion being substantially coplanar with the support portion; and
- a rail,

wherein the support portion, the retaining portion, and the mounting portion define an opening for receiving the rail.

10. A fall protection system for use with walls and movable stanchions comprising:
a plurality of brackets securable to the walls and stanchions; and
a plurality of 2" by 4" by 8' rails,
wherein the brackets are adapted to engage the rails.